

Summary of BTEX Concentrations for Weekly Private Well Sampling  
Circle K Store No. 2705326  
1910 North State Route 89  
Chino Valley, AZ 86323

| Well ID/Sample ID                      | Sample Date | Analysis Method 524.2 BTEX |              |          |                |
|----------------------------------------|-------------|----------------------------|--------------|----------|----------------|
|                                        |             | Benzene                    | Ethylbenzene | Toluene  | Xylenes, total |
|                                        |             |                            |              |          |                |
| CAS Numbers                            |             | 71-43-2                    | 100-41-4     | 108-88-3 | 1330-20-7      |
| Aquifer Water Quality Standards (µg/L) |             | 5                          | 700          | 1,000    | 10,000         |
| 55-516692                              | 2/26/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 3/8/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 3/13/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 3/20/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 3/27/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 4/3/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 4/10/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 4/17/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 4/24/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 5/1/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 5/8/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 5/15/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 5/22/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 5/29/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 6/5/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 6/12/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 6/19/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 6/26/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 7/3/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 7/10/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 7/17/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 7/25/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 7/31/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 8/7/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 8/14/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 8/21/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 8/28/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 9/4/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 9/11/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 9/18/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 9/25/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 10/2/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 10/9/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 10/16/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 10/23/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 10/30/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 11/5/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 11/13/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 11/20/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 11/25/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 12/4/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 12/11/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 12/18/2025  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 12/23/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 12/30/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 1/8/2025    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 1/15/2025   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 1/22/2025   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 1/29/2025   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 2/5/2025    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 2/12/2025   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 2/19/2025   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 2/26/2025   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 3/5/2025    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 3/12/2025   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 4/9/2025    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-516692                              | 5/7/2025    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
|                                        |             |                            |              |          |                |
| 55-504425                              | 2/26/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 3/8/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 3/13/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 3/20/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 3/27/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 4/3/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 4/10/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |

Summary of BTEX Concentrations for Weekly Private Well Sampling  
Circle K Store No. 2705326  
1910 North State Route 89  
Chino Valley, AZ 86323

| Well ID/Sample ID                      | Sample Date | Analysis Method 524.2 BTEX |              |          |                |
|----------------------------------------|-------------|----------------------------|--------------|----------|----------------|
|                                        |             | Benzene                    | Ethylbenzene | Toluene  | Xylenes, total |
|                                        |             |                            |              |          |                |
| CAS Numbers                            |             | 71-43-2                    | 100-41-4     | 108-88-3 | 1330-20-7      |
| Aquifer Water Quality Standards (µg/L) |             | 5                          | 700          | 1,000    | 10,000         |
| 55-504425                              | 4/17/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 4/24/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 5/1/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 5/8/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 5/15/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 5/22/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 5/29/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 6/5/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 6/12/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 6/19/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 6/26/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 7/3/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 7/10/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 7/17/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 7/24/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 7/31/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 8/7/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 8/14/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 8/21/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 8/28/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 9/4/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 9/11/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 9/18/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 9/25/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 10/2/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 10/9/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 10/16/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 10/23/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 10/30/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 11/5/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 11/13/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 11/20/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 11/25/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 12/4/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 12/11/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 12/18/2025  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 12/23/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 12/30/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 1/8/2025    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 1/15/2025   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 1/22/2025   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 1/29/2025   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 2/5/2025    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 2/12/2025   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 2/19/2025   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 2/26/2025   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 3/5/2025    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 3/12/2025   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 4/9/2025    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-504425                              | 5/7/2025    | ---                        | ---          | ---      | ---            |
|                                        |             |                            |              |          |                |
| 178ONHWY89 (55-085972)                 | 2/26/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-085972                              | 3/8/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-085972                              | 3/13/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-085972                              | 3/20/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-085972                              | 3/27/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-085972                              | 4/3/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-085972                              | 4/10/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-085972                              | 4/17/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-085972                              | 4/24/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-085972                              | 5/1/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-085972                              | 5/8/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-085972                              | 5/15/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-085972                              | 5/22/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-085972                              | 5/29/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |

Summary of BTEX Concentrations for Weekly Private Well Sampling  
Circle K Store No. 2705326  
1910 North State Route 89  
Chino Valley, AZ 86323

| Well ID/Sample ID                      | Sample Date | Analysis Method 524.2 BTEX |              |          |                |
|----------------------------------------|-------------|----------------------------|--------------|----------|----------------|
|                                        |             | Benzene                    | Ethylbenzene | Toluene  | Xylenes, total |
|                                        |             |                            |              |          |                |
| CAS Numbers                            |             | 71-43-2                    | 100-41-4     | 108-88-3 | 1330-20-7      |
| Aquifer Water Quality Standards (µg/L) |             | 5                          | 700          | 1,000    | 10,000         |
| 55-085972                              | 6/5/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-085972                              | 6/12/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-085972                              | 6/19/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-085972                              | 6/26/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-085972                              | 7/3/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-085972                              | 7/10/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-085972                              | 7/17/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-085972                              | 7/24/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-085972                              | 7/31/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-085972                              | 8/7/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-085972                              | 8/14/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-085972                              | 8/21/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-085972                              | 8/28/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-085972                              | 9/4/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-085972                              | 9/11/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-085972                              | 9/18/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-085972                              | 9/25/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-085972                              | 10/2/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-085972                              | 10/9/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-085972                              | 10/16/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-085972                              | 10/23/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-085972                              | 10/30/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-085972                              | 11/5/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-085972                              | 11/13/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-085972                              | 11/20/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-085972                              | 11/25/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-085972                              | 12/4/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-085972                              | 12/11/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-085972                              | 12/18/2025  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-085972                              | 12/23/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-085972                              | 12/30/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-085972                              | 1/8/2025    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-085972                              | 1/15/2025   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-085972                              | 1/22/2025   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-085972                              | 1/29/2025   | ---                        | ---          | ---      | ---            |
| 55-085972                              | 2/5/2025    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-085972                              | 2/12/2025   | ---                        | ---          | ---      | ---            |
| 55-085972                              | 2/19/2025   | ---                        | ---          | ---      | ---            |
| 55-085972                              | 2/26/2025   | ---                        | ---          | ---      | ---            |
| 55-085972                              | 3/5/2025    | ---                        | ---          | ---      | ---            |
| 55-085972                              | 3/12/2025   | ---                        | ---          | ---      | ---            |
| 55-085972                              | 4/9/2025    | ---                        | ---          | ---      | ---            |
| 55-085972                              | 5/7/2025    | ---                        | ---          | ---      | ---            |
|                                        |             |                            |              |          |                |
| 55-513231                              | 3/1/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 3/8/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 3/13/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 3/20/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 3/27/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 4/3/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 4/10/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 4/17/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 4/24/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 5/1/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 5/8/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 5/15/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 5/22/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 5/29/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 6/5/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 6/12/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 6/19/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 6/26/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 7/3/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 7/10/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 7/17/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |

Summary of BTEX Concentrations for Weekly Private Well Sampling  
Circle K Store No. 2705326  
1910 North State Route 89  
Chino Valley, AZ 86323

| Well ID/Sample ID                      | Sample Date | Analysis Method 524.2 BTEX |              |          |                |
|----------------------------------------|-------------|----------------------------|--------------|----------|----------------|
|                                        |             | Benzene                    | Ethylbenzene | Toluene  | Xylenes, total |
|                                        |             |                            |              |          |                |
| CAS Numbers                            |             | 71-43-2                    | 100-41-4     | 108-88-3 | 1330-20-7      |
| Aquifer Water Quality Standards (µg/L) |             | 5                          | 700          | 1,000    | 10,000         |
| 55-513231                              | 7/24/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 7/31/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 8/7/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 8/14/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 8/21/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 8/28/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 9/4/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 9/11/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 9/18/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 9/25/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 10/2/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 10/9/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 10/16/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 10/23/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 10/30/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 11/5/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 11/13/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 11/20/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 11/25/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 12/4/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 12/11/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 12/18/2025  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 12/23/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 12/30/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 1/8/2025    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 1/15/2025   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 1/22/2025   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 1/29/2025   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 2/5/2025    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 2/12/2025   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 2/19/2025   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 2/26/2025   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 3/5/2025    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 3/12/2025   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 4/9/2025    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-513231                              | 5/7/2025    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
|                                        |             |                            |              |          |                |
| 55-532762                              | 3/1/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 3/8/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 3/13/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 3/20/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 3/27/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 4/3/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 4/10/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 4/17/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 4/24/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 5/1/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 5/8/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 5/15/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 5/22/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 5/29/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 6/5/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 6/12/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 6/19/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 6/26/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 7/3/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 7/10/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 7/17/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 7/24/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 7/31/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 8/7/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 8/14/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 8/21/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 8/28/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 9/4/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |



Summary of BTEX Concentrations for Weekly Private Well Sampling  
Circle K Store No. 2705326  
1910 North State Route 89  
Chino Valley, AZ 86323

| Well ID/Sample ID                      | Sample Date | Analysis Method 524.2 BTEX |              |          |                |
|----------------------------------------|-------------|----------------------------|--------------|----------|----------------|
|                                        |             | Benzene                    | Ethylbenzene | Toluene  | Xylenes, total |
|                                        |             |                            |              |          |                |
| CAS Numbers                            |             | 71-43-2                    | 100-41-4     | 108-88-3 | 1330-20-7      |
| Aquifer Water Quality Standards (µg/L) |             | 5                          | 700          | 1,000    | 10,000         |
| 55-532762                              | 9/11/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 9/18/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 9/25/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 10/2/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 10/9/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 10/16/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 10/23/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 10/30/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 11/5/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 11/13/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 11/20/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 11/25/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 12/4/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 12/11/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 12/18/2025  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 12/23/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 12/30/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 1/8/2025    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 1/15/2025   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 1/22/2025   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 1/29/2025   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 2/5/2025    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 2/12/2025   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 2/19/2025   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 2/26/2025   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 3/5/2025    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 3/12/2025   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 4/9/2025    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532762                              | 5/7/2025    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
|                                        |             |                            |              |          |                |
| 31 Butterfield (55-910687)             | 3/5/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 3/8/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 3/13/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 3/20/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 3/27/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 4/3/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 4/10/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 4/17/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 4/24/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 5/1/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 5/8/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 5/15/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 5/22/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 5/29/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 6/5/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 6/12/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 6/19/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 6/26/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 7/3/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 7/10/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 7/17/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 7/24/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 7/31/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 8/7/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 8/14/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 8/21/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 8/28/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 9/4/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 9/11/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 9/18/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 9/25/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 10/2/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 10/9/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 10/16/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 10/23/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |

Summary of BTEX Concentrations for Weekly Private Well Sampling  
Circle K Store No. 2705326  
1910 North State Route 89  
Chino Valley, AZ 86323

| Well ID/Sample ID                      | Sample Date | Analysis Method 524.2 BTEX     |              |          |                |
|----------------------------------------|-------------|--------------------------------|--------------|----------|----------------|
|                                        |             | Benzene                        | Ethylbenzene | Toluene  | Xylenes, total |
|                                        |             | All results reported in (µg/L) |              |          |                |
| CAS Numbers                            |             | 71-43-2                        | 100-41-4     | 108-88-3 | 1330-20-7      |
| Aquifer Water Quality Standards (µg/L) |             | 5                              | 700          | 1,000    | 10,000         |
| 55-910687                              | 10/30/2024  | <0.0490                        | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 11/5/2024   | <0.0490                        | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 11/13/2024  | <0.0490                        | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 11/20/2024  | <0.0490                        | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 11/25/2024  | <0.0490                        | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 12/4/2024   | <0.0490                        | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 12/11/2024  | <0.0490                        | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 12/18/2025  | <0.0490                        | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 12/23/2024  | <0.0490                        | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 12/30/2024  | <0.0490                        | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 1/8/2025    | <0.0490                        | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 1/15/2025   | <0.0490                        | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 1/22/2025   | <0.0490                        | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 1/29/2025   | <0.0490                        | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 2/5/2025    | <0.0490                        | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 2/12/2025   | <0.0490                        | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 2/19/2025   | <0.0490                        | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 2/26/2025   | <0.0490                        | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 3/5/2025    | <0.0490                        | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 3/12/2025   | <0.0490                        | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 4/9/2025    | <0.0490                        | <0.0440      | <0.412   | <0.340         |
| 55-910687                              | 5/7/2025    | <0.0490                        | <0.0440      | <0.412   | <0.340         |
|                                        |             |                                |              |          |                |

Summary of BTEX Concentrations for Weekly Private Well Sampling  
Circle K Store No. 2705326  
1910 North State Route 89  
Chino Valley, AZ 86323

| Well ID/Sample ID                      | Sample Date | Analysis Method 524.2 BTEX |              |          |                |
|----------------------------------------|-------------|----------------------------|--------------|----------|----------------|
|                                        |             | Benzene                    | Ethylbenzene | Toluene  | Xylenes, total |
|                                        |             |                            |              |          |                |
| CAS Numbers                            |             | 71-43-2                    | 100-41-4     | 108-88-3 | 1330-20-7      |
| Aquifer Water Quality Standards (µg/L) |             | 5                          | 700          | 1,000    | 10,000         |
| 55-532738                              | 3/12/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532738                              | 3/20/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532738                              | 3/27/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532738                              | 4/3/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532738                              | 4/10/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532738                              | 4/17/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532738                              | 4/24/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532738                              | 5/1/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532738                              | 5/8/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532738                              | 5/15/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532738                              | 5/22/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532738                              | 5/29/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532738                              | 6/5/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532738                              | 6/12/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532738                              | 6/19/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532738                              | 6/26/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532738                              | 7/3/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532738                              | 7/10/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532738                              | 7/17/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532738                              | 7/24/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532738                              | 7/31/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532738                              | 8/7/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532738                              | 8/14/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532738                              | 8/21/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532738                              | 8/28/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532738                              | 9/4/2024    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532738                              | 9/11/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532738                              | 9/18/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532738                              | 9/25/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532738                              | 10/2/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532738                              | 10/9/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532738                              | 10/16/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532738                              | 10/23/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532738                              | 10/30/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532738                              | 11/5/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532738                              | 11/13/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532738                              | 11/20/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532738                              | 11/25/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532738                              | 12/4/2024   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532738                              | 12/11/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532738                              | 12/18/2025  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532738                              | 12/18/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532738                              | 12/30/2024  | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532738                              | 1/8/2025    | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532738                              | 1/15/2025   | <0.0490                    | <0.0440      | <0.412   | <0.340         |
| 55-532738                              | 1/22/2025   | <0.0490                    | <0.0440      | <0.412   | <0.340         |

