



TOWN OF CHINO VALLEY BUILDING CRITERIA

2024 INTERNATIONAL BUILDING CODE,

2024 INTERNATIONAL RESIDENTIAL CODE,

2024 INTERNATIONAL EXISTING BUILDING CODE,

2024 INTERNATIONAL FUEL GAS CODE,

2024 INTERNATIONAL PLUMBING CODE,

2024 INTERNATIONAL MECHANICAL CODE,

2012 INTERNATIONAL ENERGY CONSERVATION CODE,

2023 NATIONAL ELECTRICAL CODE

WIND SPEED: 105 MPH -3 SECOND GUST

EXPOSURE CATEGORY: C

ROOF SNOW LOAD: 30 PSF NON – REDUCIBLE

ROOF LIVE LOAD: 30 PSF

GROUND SNOW LOAD: 43 PSF REDUCIBLE

SEISMIC DESIGN CATEGORY: C

FROST LINE DEPTH: 18” (INCHES)

WEATHERING- NEGLIGABLE

TERMITE – MODERATE

DECAY – SLIGHT

WINTER DESIGN TEMPRATURE PV + 15 DEGREES

ICE SHEILD REQUIRMENT: NO

FLOOD HAZARD ADMINISTERED BY - BUILDING OFFICIAL

AIR FREEZING INDEX: 124

MEAN ANNUAL TEMP: 53

